

ALIGAL™ 2 / CO₂



ALIGAL™, the Air Liquide food grade solution

Air Liquide's Gas Encyclopedia - Pages: 333 - 368

Applications

Food grade gases for modified atmosphere packaging, beverages, other food processing and applications

Transport information

Liquified Gases

Proper shipping name	Carbon Dioxide
UN-Nr	1013
ADR/RID	Class 2
	Classification code 2A

Refrigerated Gases

Proper shipping name	Carbon Dioxide, refrigerated liquid
UN-Nr	2187
ADR/RID	Class 2
	Classification code 3A



Safety Data Sheets

Liquefied gas : N° EIGA018A-ALG
 Access: <https://be.airliquide.com/>
 Liquefied gas : N° EIGA018B-ALG
 Access: <https://be.airliquide.com/>

Physical information

Molecular weight	44,01 g/mol
Relative density:	
Relative density, gas	1.52 (air=1)
Relative density, liquefied Gas	0.82 (water=1)
Relative density, refrigerated Gas	1.03 (water=1)
Colour	Colorless
CAS number	124-38-9

Properties

Hazards identification: In high concentrations may cause asphyxiation

Flammability range: Non-flammable

Personal protection: Ensure adequate ventilation. For full and more detailed information, please consult the Material Safety Data Sheet (MSDS).



Cylinder equipment

Valve fittings

Cylinder: B4 - IS 21.7 x 1.814 right-hand male
 Bundle: WW 1 1/8 right-hand male

Shoulder colour:

Grey (RAL 7037)



Product Specifications

Global purity (% Vol. abs) CO ₂	Impurities (ppm v/v)		Supply mode	Packaging size	Pressure	Capacity	Product reference
≥ 99,9 Vol. %	H ₂ O (5 bar)	≤ 50 ppm v/v	Cylinder	13L	49.5 bar	10 kg	I5110S13R0A001
	O ₂	≤ 30 ppm v/v	Cylinder	50L	49.5 bar	37 kg	I5110L50R0A001
	CO	≤ 10 ppm v/v	Bundle	V12*50L	49.5 bar	360 kg	I5110V12R0A001
	NO/NO ₂	≤ 10 ppm v/v	Liquid	-	< 99 bar		I5110RG
	CnHm	≤ 30 ppm v/v					
	Nonvolatile organic constituents	≤ 5 ppm w/w					
	Total sulphur (S)	≤ 0,5 ppm v/v					

Additional information

Product compliant with:

- E290 specifications(carbon dioxide)
- Food safety compliance: Food safety management system FSMS including HACCP methodology, ISO22000 and traceability through batch lot number,
- Food gases cannot be considered free of particles. Despite preventive measures taken to limit the contamination level (selection of materials, filtration, purging procedures etc.) a continuous warranty of particles level cannot be ensured. Based on intended use, the end user is responsible to conduct a risk assessment of their complete system (gas distribution piping network included). Where there is a requirement for the particle contamination of the gas to be controlled, appropriate filters can be installed at the point of use.
- Cylinder compliant with : FDA & EC 1935:2004

specifications in accordance with Regulation (EU) 231/2012

Liquid CO₂ product used for cylinders and bundles filling is compliant with ISBT* specifications.

(*) ISBT = International Society of Beverage Technologists

Minimum shelf life as stated on the batch label: 60 months

Disclaimer

L'AIR LIQUIDE S.A. and/or its affiliates ("AIR LIQUIDE") are not responsible for the use or consequences of use of the information contained in this Product sheet. AIR LIQUIDE does not hold itself out as recommending the use of the information contained herein or reliance thereon in any way, makes no warranties regarding the information contained in this document and assumes no liability or responsibility in connection with the information or suggestions contained herein. AIR LIQUIDE makes no representations or warranties regarding the completeness of this document and DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED INCLUDING, BUT NOT LIMITED TO, WARRANTY OF MERCHANTABILITY AND WARRANTY OF FITNESS FOR A PARTICULAR USE OR PURPOSE. The information contained in this product sheet is based on the technical information and experience currently available to AIR LIQUIDE. This document should not be confused with regulations (national or European), insurance requirements or codes. Moreover it should not be assumed that every acceptable local grade, test or safety procedure or method, precaution, equipment or device is contained herein, nor that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedures. It is up to users of this document to ensure that they have the latest edition. AIR LIQUIDE may, at its sole discretion, add, delete or change some or all of the information contained in this Product sheet. It is strictly forbidden to copy or reproduce some or all parts of this Product sheet without the written authorisation of AIR LIQUIDE. AIR LIQUIDE owns, reserves and retains all proprietary rights, including copyright, to the present Product sheet. This Product sheet and the photographs and images contained herein shall not be copied or reproduced in any way, sold, loaned, transferred or otherwise distributed to others, used for any purpose or in any manner detrimental to the interest of AIR LIQUIDE. The trademarks, service marks, trade names, logos or other indications of origin displayed in this Product sheet are registered and unregistered trademarks of AIR LIQUIDE or a third party from whom AIR LIQUIDE has obtained the right to use them in this Product sheet. Use of any copyright materials and/or trademarks is subject to the written approval of AIR LIQUIDE on a separate permission form.